

OPTIMA® SENSOR FAUCET EBF-655-BAT-TEE-CP-0.5GPM-MLM-FCT

(General Model Name: EBF655 CP BATTERY FAUCET)

CODE NUMBER

3315300

DESCRIPTION

Battery Power Supply, Back-Check Tee, Polished Chrome Finish, 0.5 gpm, Multi-Laminar Spray, Infrared Sensor, Optima® Battery or Turbine-Powered Deck-Mounted Low Integrated Base Body BAA Compliant Faucet.

DETAILS

• Flow Rate: 0.5 gpm (1.9 Lpm) (0.5GPM) • Spray Type: Multi-Laminar (MLM)

 Sensor Type: Infrared • Mounting Type: 4" Centerset • Power Supply: Battery (BAT)

• Temperature Mixer: Back-Check Tee (TEE)

• Finish: Polished Chrome (CP)

• Factory Default Timeout: 30 seconds • Factory Default Gallons per Cycle: 0.25

FEATURES

Commercial Grade, ADA and BAA Compliant, Electronic, Sensor-Activated, Cast Brass 4 Centerset Hand Washing Faucet with the following features:

- Splash-proof Circuit Control Module
- Sensor Range Adjustment Screw
- Low Battery LED Indicator Light
- User friendly Variable Time Out Settings
- Serviceable Filtered Solenoid Valve Vandal Resistant Spray Head with Pressure Compensating Flow Control
- Metal lacketed Wire Protection for Sensor lead
- Includes four (4) AA-size Alkaline Batteries
- Appropriate Mounting Hardware included


ELECTRICAL SPECIFICATIONS

- Battery Life: 3 years 8,000 cycles/month Optional power harvesting significantly extends service life
- Sensor Range: 4"-5" (102-127mm) • Timeout Adjustment Settings: 30s

DOWNLOADS

- EBF 625/655 Installation Instructions
- Faucet Spray Heads Repair and Maintenance Guide
- Optima Plus EBF 625/655 Repair and Maintenance Guide
- Trim Plate Guide





COMPLIANCES & CERTIFICATIONS





(ADA Compliant, ASME A112.18.1 Compliant, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, cUPC Certified, cUPC Low Lead Compliant, EPD, Green Globes Materials & Resources Credit, Green Globes Water Credit, HPD, IAPMO, LEED Materials & Resources EPD Credit, LEED Materials & Resources HPD Credit, NSF-61, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, UPC Certified, UPC Low Lead Compliant, WaterSense Listed, WELL **Building Standard)**

NOTES

All information contained within this document subject to change without notice.

Find a matching soap dispenser for this faucet. Find a compatible sink for this faucet.

Phone: 800.982.5839 • Fax: 800.447.8329 • sloan.com



OPTIMA® SENSOR FAUCET EBF-655-BAT-TEE-CP-0.5GPM-MLM-FCT

(General Model Name: EBF655 CP BATTERY FAUCET)

WARRANTY

View Warranty Information



(General Model Name: EBF655 CP BATTERY FAUCET)

ROUGH-IN

